

Monday, October 28, 2024

Table of Contents

All Venues	1
Order Comments Column Removal.....	1
Surgery	1
Laser Data Segment	1
Future Changes.....	2
November.....	2
To Be Determined.....	2

[Click here for the latest Registration, Scheduling, Referral Management, Experian, Charge Management, and other Revenue Cycle updates!](#)

All Venues

Order Comments Column Removal


- Order comments can now be found in the bottom line of details so the information can be more easily viewed.

<input checked="" type="checkbox"/>		diazePAM (Valium)	Ordered	10 mg = 2 mL, Soln, PO, TID, PRN Other (see comment), Routine, Start date 03/24/21 12:54:00 EDT Moderate Anxiety
-------------------------------------	--	-------------------	---------	---

Surgery

Laser Data Segment

- Laser Data Segment updated to fix an issue with the Laser type field and to better align with latest AORN content.



The screenshot shows a 'Laser Data' window with the following fields and controls:

- Procedure**: A table with columns for Procedure, Type, Serial No, and Pulses.
- Procedure**: A text input field.
- Laser Type**: A dropdown menu.
- Laser Serial Number**: A text input field.
- #Pulses**: A text input field.
- Laser Mode**: Radio buttons for Continuous, Pulse, Repeat, Single, and Super Pulse.
- #Joules**: A text input field.
- #Joules**: A text input field.
- Joules**: A text input field.
- Microscope Used?**: Radio buttons for Yes and No.
- Total Minutes Used (from machine)**: A text input field with a 'minute' dropdown.
- Buttons**: Add, Modify, Remove, and Clear.

Future Changes


November

- **New blood lock process in lab.**
 - Patient will have 4-letter code as Patient Blood band ID Number on blood band.
 - The 4-letter code will be entered into the lock to unlock the blood for use.
 - Enter the **Patient Blood Band ID number** into the Blood Product Transfusion Navigator Band along with other details.



To Be Determined

- **Allergies will be updated with a new look and feel for a more user-friendly experience.**
 - No changes to the MPage component at this time. The update will occur in patient charts, forms, scheduling appointment book, Pharmnet, and Radnet.



- **Reverse Interaction Checking will automatically run each time new allergies are entered and can be run at any time by clicking Reverse Allergy Check button.**
 - **Interaction is found:** Red warning populates with details. This is not auto dismissed.
 - **No interaction is found:** Green checkmark with text **Success. No Drug Interaction found.** The message will auto-dismiss after five seconds.
- **MyExperience Replacement**
 - Planned for November/December, **MyExperience will be replaced with Role Profiles.** In the future, if more than one role exists there will be a prompt to choose a role when logging into an application.