


The Communication Order (AVOID (Blood Products)) will be placed to identify specific blood product items the patient does not accept.

### AVOID (Blood Products) Order – Blood Product Orderables

An alert will fire if a user attempts to place any of the orders listed in the Appendix below when corresponding options are selected in the **Patient Does Not Accept** field of the **Communication Order (AVOID (Blood Products))**.



For example, the alert would fire if a user attempts to place any of the orders listed in the Immune Globulins section if **Immune Globulins** were selected in the **Patient Does Not Accept** field.

### Appendix

<b>Albumin</b>	albumin human incobotulinumtoxinA abobotulinumtoxinA onabotulinumtoxinA rimabotulinumtoxinB perflutren protein-type A microspheres) intravenous suspension Optison Optison intravenous suspension
<b>Cryoprecipitate</b>	Transfuse CRYOPRECIPITATE
<b>Epoetin alfa (Procrit)- contains albumin</b>	Epogen Procrit Dialysis Only - Epogen epoetin alfa 10,000 units/mL injectable solution epoetin alfa 10,000 units/mL preservative-free injectable solution

	<p>epoetin alfa 20,000 units/mL injectable solution  epoetin alfa 2000 units/mL preservative-free injectable solution  epoetin alfa 3000 units/mL preservative-free injectable solution  epoetin alfa 40,000 units/mL preservative-free injectable solution  epoetin alfa 4000 units/mL preservative-free injectable solution  epoetin alfa  Epogen 10,000 units/mL injectable solution  Epogen 10,000 units/mL preservative-free injectable solution  Epogen 20,000 units/mL injectable solution  Epogen 2000 units/mL preservative-free injectable solution  Epogen 3000 units/mL preservative-free injectable solution  Epogen 4000 units/mL preservative-free injectable solution  Procrit 10,000 units/mL injectable solution  Procrit 10,000 units/mL preservative-free injectable solution  Procrit 20,000 units/mL injectable solution  Procrit 2000 units/mL preservative-free injectable solution  Procrit 3000 units/mL preservative-free injectable solution  Procrit 40,000 units/mL preservative-free injectable solution  Procrit 4000 units/mL preservative-free injectable solution</p>
<p><b>Factor VIII and Factor IX Concentrates</b></p>	<p>antihemophilic factor  antihemophilic factor-von Willebrand factor  coagulation factor IX  coagulation factor VIIa  antithrombin III</p>
<p><b>Immune Globulins</b></p>	<p>immune globulin subcutaneous  immune globulin intramuscular  immune globulin intravenous IVIG (Restricted Use)  immune globulin intravenous and subcutaneous (Restricted Use)  cytomegalovirus immune globulin  hepatitis B immune globulin  rabies immune globulin, human  tetanus immune globulin  varicella zoster immune globulin  RHo (D) immune globulin  lymphocyte immune globulin, anti-thy (equine)  anti-thymocyte globulin (rabbit)  diphtheria/hepB/pertussis, acellular/polio/tetanus  Rh Immune Globulin Administration (Rhogam)</p>

<b>Intra-Operative Cell Saver</b>	
<b>Intra-Operative Hemodilution</b>	
<b>Packed Red Blood Cells</b>	Transfuse RED BLOOD CELLS–ACTIVELY BLEEDING. Transfuse RED BLOOD CELLS–NOT ACTIVELY BLEEDING
<b>Plasma</b>	Transfuse FROZEN PLASMA
<b>Platelet - Plasma Derived Topical Agents (Floseal, Evicel, Tisseel)</b>	thrombin topical fibrin sealant topical fibrinogen-thrombin topical collagen-thrombin
<b>Platelets</b>	Transfuse PLATELETS
<b>Post-Operative Cell Saver</b>	PACLitaxel protein-bound
<b>Prothrombin Complex Concentrate</b>	prothrombin complex
<b>RiaSTAP</b>	fibrinogen (RiaStap)
<b>White Blood Cells</b>	