


Perioperative Documentation Discrepancies functionality is a way to resolve any shared data discrepancies between Intraoperative Record and Anesthesia Record.

Perioperative Documentation Discrepancies

The Perioperative Documentation Discrepancies window will populate only for the intraoperative record. If there are any discrepancies, they will be highlighted red. Please note the following columns:

- The **Surgery Value** column will come from Perioperative Documentation.
- The **Anesthesia Value** will come from the Anesthesia Record.
- Both columns will display when and if the record was finalized. The **Anesthesia Value** column will have the addition of who finalized the record.




Result Type	DI	Surgery Value	Anesthesia Value
Document Information		Finalized Last Saved: 02/24/2022 14:50	Finalized Last Saved: 02/24/2022 14:37 ZZPHYSANESLDP2
General Case Data			
OR		FROR 02	FROR 02
ASA Class		I 5	2
PreOp Diagnosis		Abdominal pain	Abdominal pain
Surgical Procedures			
Primary Procedure		Appendectomy	Appendectomy
Anesthesia Type(s)		MAC	General
Primary Surgeon		TESTING, EMMC_MD	TESTING, EMMC_MD
Case Times			
In Room Time		02/24/2022 12:05	02/24/2022 12:05
Out of Room Time		I 02/24/2022 14:06	02/24/2022 14:10
Start Time		I 02/24/2022 12:20	02/24/2022 12:22
Stop Time		02/24/2022 13:58	02/24/2022 13:58
Single Case Times			
Anesthesia Start			02/24/2022 12:15
Anesthesia Stop			02/24/2022 14:18

How to Access the Tool

The tool can be accessed during documentation or when finalizing the record.

STEP 1: Go to **Document** while in Perioperative Doc.

STEP 2: Click on **Periop Discrepancies**.



Steps to Resolve the Discrepancies

STEP 1: Click any red line to highlight the discrepancy.

- Once clicked, **Accept Anesthesia Value** and **Open Segment** will be available.

STEP 2: Click **Accept Anesthesia Value**.

- Depending on how the data is being documented, the value will update or open the segment for correction.
- If the segment opens, it will open as a window that can be dragged and moved around.

STEP 3: Click **Refresh** if the Anesthesia Record is not finalized to ensure there are no further discrepancies.

STEP 4: Click **Continue** to finalize the record.

NOTE: If the Anesthesia Value has not been finalized, use the Refresh button to see if Anesthesia has changed any of their values. The Accept All Attendee Additions from Anesthesia will stay dithered out. This is a future functionality that is still being worked on.