

When a patient experiences a reaction during treatment, the treatment nurse will order the Hypersensitivity Protocol PowerPlan.

Ordering the Hypersensitivity Protocol

STEP 1: In the patient's chart, go to the Orders tab in the Menu.

STEP 2: Click the Add button 

STEP 3: Search for and select the ONCP Hypersensitivity Protocol PowerPlan.

STEP 4: The Ordering Physician window displays.

- Select Order.
- Enter the ordering provider's name in the Physician name field.
- Select Communication type as Patient Care Protocol, Cosign Required.

STEP 5: Click OK.

STEP 6: The Add Plan window displays, click OK.



STEP 7: The ONCP Hypersensitivity Protocol PowerPlan displays.

- There are pre-selected orders in the PowerPlan based off the reaction protocol.
- No action is needed at this time by nursing to select orders.

STEP 8: Click Orders for Signature, then click Sign.

NOTE: The orders in the PowerPlan are active upon the RN signing and being sent to the provider to co-sign.

NOTE: The provider has the ability to place additional orders not pre-selected in the PowerPlan, if needed.



| | Component |
|--|--|
| ONCP Hypersensitivity Protocol (Initiated Pending) | |
| ✓ | Vital Signs |
| ✓ | Vital Signs (Frequent) |
| ✓ | Patient Care |
| ✓ | ONC Provider Communication |
| ✓ | ONC Provider Communication |
| ✓ | Positioning |
| ✓ | Continuous Solutions |
| ✓ | Sodium Chloride 0.9% (Sodium Chloride 0.9% (Bolus Infusion)) |
| ✓ | Medications |
| Hypersensitivity Medications | |
| ✓ | ONC Provider Communication |
| ✓ | acetaminophen (Tylenol) |
| ✓ | diphenhydramine (Benadryl) |
| ✓ | famotidine (Pepcid) |
| ✓ | methypREDNISolone (SOLU-Medrol) |
| ✓ | albuterol (Proventil NEB) |
| ✓ | albuterol (Ventolin HFA 90 mcg/inh inhalation aerosol) |
| ✓ | mepredine (Demerol) |
| ✓ | EPINEPHrine (EpiPen Auto-Injector) |
| ✓ | atropine |