

From the Office of Clinical Informatics Behavioral Health – Ambulatory Clozapine Multi-Phase PowerPlan

September 15, 2022

A PowerPlan is an Order Set in PowerChart that assists providers by efficiently presenting them with best practice ordering options. The Behavioral Health (BH) Ambulatory Clozapine PowerPlan is a multi-phase PowerPlan used for the initial and ongoing prescribing of the medication.

Initiating the BH AMB Clozapine PowerPlan

- **STEP 1:** From the **BH Quick Orders MPage**, navigate to the **Prescriptions** component.
- **<u>STEP 2</u>**: Select **BH AMB Clozapine (Clozaril)** PowerPlan to add it to **Orders for Signature.**
 - A **PowerPlan** is indicated by the PowerPlan icon.
- **<u>STEP 3</u>**: Select the **Orders for Signature** icon.
 - Select Modify to open the details of the Clozapine Multi-Phase PowerPlan.

Behavioral	Health Quick Or.	× +
ns Ambulat	ory Orders and Pre	escriptions All
&M	=• ↔	Labs
105	≡• ♥	Prescriptions
		BH AMB Clozapine (Clozaril) BH AMB Clozapine (Clozaril)

	BH AMB Clozapine (Clozaril)
	Week 1 Clozapine Phase (Planned Pending)
ŀ	Week 2 Clozapine Phase (Planned Pending)
ŀ	Week 3 Clozapine Phase (Planned Pending)
ļ	Week 4 Clozapine Phase (Planned Pending)
	Month 2 Clozapine Phase (Planned Pending
	Month 3 Clozapine Phase (Planned Pending
	Month 4 Clozapine Phase (Planned Pending
	Month 5 Clozapine Phase (Planned Pending

- <u>NOTE</u>: The phases are separated by week and month and should be done in a progression with one phase being initiated at a time.
- **<u>STEP 4</u>**: Select/deselect as appropriate to include/exclude orders from the PowerPlan.
 - When first entering the phase, any order with a checkmark next to it is automatically selected to be ordered.

🖻 1

⊿ BH AMB Clozapine (Clozarii), Week 1 Clozapine Phase (Planned Pending)					
⊿ Patient Care					
🛞 Confirm medication prior authorization before initiating plan.					
٩	For use in treatment of schizophrenia or schizoaffective disorder				
⊿ Medications					
	Tobacco Use Dosing				
n 😚	Three Day Titration Dosing				
d 🗊,	cloZAPine (Clozaril 25 mg oral tablet)				
	Seven Day Titration Dosing				
	cloZAPine (Clozaril 25 mg oral tablet)				
<u></u>	Non-Tobacco Use Dosing				
	Three Day Titration Dosing				
	cloZAPine (Clozaril 25 mg oral tablet)				
	Seven Day Titration Dosing				
П 🚺	cloZAPine (Clozaril 25 mg oral tablet)				
n 🔅	Treatments for Potential Side Effects				
🗹 🚺	docusate (Colace)				
	Consider MiraLax if Colace is ineffective				
	polyethylene glycol 3350				
	bisacodyl (Dulcolax Laxative 5 mg oral delayed release				
<u></u>	Sialorrhea				
	atropine ophthalmic (Isopto Atropine 1% ophthalmic				

<u>NOTE</u>: The recurring (standing) lab order can be added to the PowerPlan using the Add to Phase button. Refer to the <u>flyer</u> for more information.

4	8	Diagnos	ses ()	🕂 Add to Phase 🛛 🛕 Check Alerts 🖉	Comments Start: Now Duration: None		
	S	\$	8	Add Order	Status Details		
BH	AME	3 Clozapine	(Clozari	Add Outcome / Intervention	ling)		
⊿	Pati	ent Care	15	Add Prescription			
				commun meanadon prior autitor	tion before initiating plan.		
			୍ଞ	For use in treatment of schizoph	irenia or schizoattective disorder		
⊿	Med	lications					
			(3	Tobacco Use Dosing			
				Three Day Titration Dosing			
				 cloZAPine (Clozaril 25 mg oral tablet) 	25 mg = 1 TAB, Tab, PO, Bedtime, Take 1 tablet at bedtime f		
				Seven Day Titration Dosing			
Π			Π	 cloZAPine (Clozaril 25 mg oral tablet) 	25 mg = 1 TAR Tab PO Redtime Take 1 tablet at bedtime.		
			<u>s</u>	r Siaionnea			
				 atropine ophthalmic (Isopto Atropine 	1% ophthalmic 1 drops, Soln, SL, Bedtime, PRN Drooling, Use 1 drop under t		
		Consider Glucophage when at risk of weight gain, or history of insulin resistance and eGFR greater than 60 mL/min					
				 metFORMIN (Glucophage 500 mg ora 	al tablet) 500 mg = 1 TAB, Tab, PO, Every AM, Take 1 tablet every mor		
4	2 Laboratory Also order Recurring (Standing) CBC with Differential, weekly for the first 6 months. You can order via Add to Phase Recurring (Standing) orders require Special Instructions to include the pharmacy name and fax number in order for results to be faxed.						

<u>STEP 5</u>: Click the **Initiate Now** button once all orders have been selected.

🔆 Initiate Now

Orders For Signature

<u>STEP 6</u>: Click **Orders for Signature**.

• A consolidated list of orders to be initiated with the PowerPlan

display. When initiating **Week 1**, future phases will display in a planned status. These will be initiated during future visits.

- A blue circle denotes missing required details.
- Click on the prescription to fill in the required details.

8	\$? [_]	7	Order Name	Status	Start	Details	
				BH AMB Clozapine (Cloza	Initiated Pending		placing 4 order(s)	
VInitia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
🖗 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
🖓 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
🖓 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
😵 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
😵 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
🖗 Initia	ate Now			BH AMB Clozapine (Clozar	Planned Pending		placing 0 order(s)	
⊿ BA	N_AH FIN	:2045073	96 Adn	nit: 09/23/2016 17:00 EDT				
⊿ Me	edications	_						
			•	docusate (Colace)	Prescribe	09/15/2022 15:50 E.	. 250 mg = 1 CAP, PO,	Constipation, # 30 CAP, 0 Refill(
			• • • •	atropine ophthalmic (Isop	Prescribe	09/15/2022 15:50 E.	. 1 drops, Soln, SL, Bedt	Drooling, Use 1 drop under the t
			. 🖻	cloZAPine (Clozaril 25 mg	Prescribe	09/15/2022 15:50 E.	. 25 mg = 1 TAB, Tab, P	ne, Take 1 tablet at bedtime for 3
⊿ Co	mmunicat	ion						
		Ę.	, 🗈	AMB Follow Up Appointm	Order	09/15/2022 15:50 E.	. 09/15/2022 15:50 EDT	Generalized anxiety disorder Maj
🔺 Det	tails							
1 Missi	ing Required	Details	Dx T	able Orders For Cosignatu	re			Sign Cancel

<u>STEP 7</u>: Select **Sign**.

• The following alert will populate. This is referencing orders that *may* be selected in **future phases**. If all required fields for the current phase have been completed, **select Yes** for the sign action to complete.





• The Week 1 Phase has moved to an Initiated Status.

Additional Information for use of this PowerPlan

The Push Pin icon denotes reference text that offers best practice guidance and further direction on the use of the PowerPlan.



NOTE:

Each phase has treatment options for both tobacco and non-tobacco use dosing and is divided into 3-day and 7-day titration options. Once a titration option is selected in the first week's phase, that titration pattern should be consistently used within each subsequent phase.

		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Second Second Second	⊿ BH AM	
territor spectra filmat	Tobacco Use Dosing	
An other Couper and store Reveal	Structure desord	er
A second based on the second second	cloZAPine (Clozaril 25 mg oral tablet)	
Medical	itration Dosing	25 mg = 1 TAB, Tab, PO, Bedtime, Take 1 tablet at bedtime for 3 days, then increase your doce to
BH AMB Clozapine (Clozaril) Week 1 Clozapine Phase (Planned Pending)	cloZAPine (Clozaril 25 mg oral tablet)	cloZAPine (Clozaril 25 mg oral tablet) Details:
Week 2 Clozapine Phase (Planned Pending) Week 3 Clozapine Phase (Planned Pending)	🏈 Non-Tobacco Use Dosing	25 mg = 1 TAB, Tab, PO, Bedtime, Take 1 tablet at bedtime for 3 days, then increase your dose to 2 tablets at bedtime for 3 days, then increase to 4 tablets at bedtime, # 13 TAB, 0 Refill(s)
Week 4 Clozapine Phase (Planned Pending) Month 2 Clozapine Phase (Planned Pending)	🗳 Three Day Titration Dosing	12.5 mg = 0.5 TAB, PO, Bedtime, Take one-half tablet at bedtime for 3 days, then increase dose to
Month 3 Clozapine Phase (Planned Pending) Month 4 Clozapine Phase (Planned Pending)	🚺 🚺 cloZAPine (Clozaril 25 mg oral table	12.5 mg TAB, Tab, PO, Bedtime, Take one-half tablet at bedtime., # 4 TAB, 0 Refill(s)
Month 5 Clozapine Phase (Planned Pending)	🕫 🏈 Seven Day Titration Dosing	250 mg = 1 CAP, PO, Daily, PRN Constipation, # 30 CAP, 0 Refill(s)
Conceptual and	🖻 🦉 cloZAPine (Clozaril 25 mg oral	17 gm, PO, Daily, PRN Constipation, Mix the powder with a glass (4 - 8 ounces) of liquid such as v
Concession in the local sector of the local se	C Sed release	5 mg = 1 TAB, PO, Bedtime, PRN Constipation Unresponsive to Other Med, # 30 TAB, 0 Refill(s)
100	B. Construction where the formula to be being of incident	1 drops, Soln, SL, Bedtime, PRN Drooling, Use 1 drop under the tongue at bedtime, followed by so
	metFORMIN (Glucophage S00 mg oral tablet)	source and early early early for man of man and the second provide the
No. of Concession, Name	Also order Recurring (Standing) CBC with Differential, weekly for the f You can order via Add to Phase Recurring (Standing) order cause Spacial Instructions to include the	ist 6 months.

> Hovering over a prescription will allow the provider to see the full details.

BH AMB Cloz	apine (Clozaril), Week 3 Clozapine Phase (Planned)	
Last updated	on: 08/15/2022 12:19 EDT by: ZZ , ACADIA BH PHYS P3	
⊿ Medicatio	ins	
	🏈 Tobacco Use Dosing	
	🏈 Three Day Titration Dosing	
	cloZAPine (Clozaril 50 mg oral tablet)	200 mg = 4 TAB, Tab, PO, Bedtime, Take 4 tablets at bedtime for 1 day, then increase dose to 5 tabl
	Seven Day Titration Dosing	cloZAPine (Clozaril 50 mg oral tablet)
	cloZAPine (Clozaril 50 mg oral tablet)	Dataila
	😚 Non-Tobacco Use Dosing	200 mg = 4 TAB. Tab. PO. Bedtime. Take 4 tablets at bedtime for 1 day, then increase dose to 5
	🗳 Three Day Titration Dosing	tablets at bedtime for 3 days, then increase dose to 6 tablets at bedtime for 3 days., # 25 TAB, 0
	cloZAPine (Clozaril 25 mg oral tablet)	Refill(s) bl
	Seven Day Titration Dosing	

#### Ongoing Use of the BH AMB Clozapine PowerPlan During Follow-up Visits:

- <u>STEP 1</u>: On the **Clinic Workflow** MPage, Navigate to the **New Order Entry** component.
  - Select the **header** to be taken to the **Orders Menu**.
- <u>STEP 2</u>: In the Orders View Menu the BH AMB Clozapine (Clozaril) PowerPlan will be listed. Prior initiated phases show as discontinued.



• This occurs as the prior visit encounters are automatically discharged after 7 days.

## <u>NOTE</u>: Prior phases that are auto discontinued may still have active orders as shown in this example.

View	9 @	17 Comment	Garture	Detaile
AMB Modified Barium Swallow with Speech Thei A BH AMB Clozapine (Clozarii) Week 1 Clozapine Phase (Discontinued) Week 2 Clozapine Phase (Planned)	BH AMB Clozapin Last updated on: ( Diagnoses: Other	ne (Clozaril), Week 1 Clozapine Phase (Discontinued) 07/28/2022 0:01 EDT by: SYSTEM , SYSTEM r specified osteochondrodysplasias	Status	Details
Week 3 Clozapine Phase (Planned) Week 4 Clozapine Phase (Planned) Month 2 Clozapine Phase (Planned)	⊿ Medications	cloZAPine (Clozaril 25 mg oral tablet)  docusate (Colace)	Completed Prescribed	25 mg = 1 TAB, Tab, P 250 mg = 1 CAP, PO, D
- Month 3 Clozapine Phase (Planned) - Month 4 Clozapine Phase (Planned) - Month 5 Clozapine Phase (Planned)	2 communication	🗹 📽 🛣 AMB Follow Up Appointment	Ordered	07/27/22 11:32:00 EDT,

# <u>NOTE</u>: When the patient has completed the current prescription, please complete the script during the visit medication reconciliation process, as a new prescription will be ordered in a new PowerPlan phase.

- **<u>STEP 3</u>**: Select the next Phase to Initiate.
  - Select desired orders to include from the PowerPlan.

#### **<u>STEP 4</u>**: Click the **Initiate Now** button once all orders have been selected.

- Plans	BHAN	B Clozapine (Clozaril), Week 2 Clozapine Phase (Planned)	
Document In Plan		edications	
Medical		Tobacco Use Dosing	
BH AMB Clozapine (Clozaril)		cloZAPine (Clozaril 50 mg oral tablet)	100 mg = 2 TAB, Tab, PO, Bedi
Week 2 Clozapine Phase (Planned)		Seven Day Titration Dosing	0
- Week 3 Clozapine Phase (Planned)		Interpretation of the second secon	50 mg = 2 TAB, PO, Bedtime, 1
-Week 4 Clozapine Phase (Planned) Month 2 Clozapine Phase (Planned)		Three Day Titration Dosing	
- Month 3 Clozapine Phase (Planned)		Le cloZAPine (Clozaril 25 mg oral tablet)	50 mg = 2 TAB, Tab, PO, Bedti >
Month 4 Clozapine Phase (Planned)	V A Del	aie	
Related Results			
Formulary Details	Dx1	able Orders For Cosignature Save as My Favorite	Plan for Later

- **<u>STEP 5</u>**: Click **Orders for Signature**.
- **<u>STEP 6</u>**: Click **Sign**.
  - Select **Yes** in the **Alert window** referencing required fields in future phases.

For questions regarding process and/or policies, please contact your unit's Clinical Educator or Clinical Informaticist. For any other questions please contact the Customer Support Center at: 207-973-7728 or 1-888-827-7728.