



On August 4, Substance Use Disorder (SUD) Screening tools will be added to the OB/GYN Intake and Antepartum Follow up Intake PowerForms. On August 17, these screening tools will also become available within the Antepartum Intake and the GYN Clinic Intake PowerForms.

SUD Screening

➤ SUD Screening Interview

- Patient screening will vary based on the age of the patient.
- The screening tool will be found in the bands of the intake form.


SUD Screening
For patients 26 years old or older, the 4P's Screening Interview is used
For patients under 26 years old, the CRAFFT Screening Interview is used

Please enter the patient's age range to open the correct screening tool

Patient 26 years old or older (4P's) Yes
 Patient is younger than 26 years old (CRAFFT) Yes

➤ 4P's Screening

- This tool is used for Substance Abuse Screening for patients 26 years old or older.
- Ask all questions to the patient.
- When complete, click the horseshoe icon to return to the intake form.



4P's Screening Interview - TRAIN, CIWH4

The 4P's for Substance Abuse Screening Interview

Begin: "I'm going to ask you a few questions that I ask all my patients. Please be honest. I will keep your answers confidential."

Have you ever used drugs or alcohol during pregnancy?
 Yes No

Have you ever used drugs or alcohol in the past?
 Yes No

Does your partner have a problem with drugs or alcohol?
 Yes No

Do you consider one of your parents to be an addict or alcoholic?
 Yes No

Scoring: Any "Yes" should be used to trigger further discussion about drug or alcohol use. Any woman who answers "Yes" to two or more questions should be referred for further assessment.

➤ CRAFFT Screening

- The CRAFFT Screening tool is used for alcohol and drug screening.
- This screening tool is used for patient younger than 26 years of age.

- Follow the instructions given in the component.
- When complete, click the horseshoe icon to return to the intake form.

The screenshot shows a software window titled "Screening Interview - TRAIN, CIWH4". The main heading is "The CRAFT Screening Interview". Below this, there is a blue instruction box: "Begin: 'I'm going to ask you a few questions that I ask all my patients. Please be honest. I will keep your answers confidential.'" The first section is "Part A- During the PAST 12 MONTHS, did you:", containing three questions with radio button options for "No" and "Yes":
1. "Drink any alcohol (more than a few sips)? (Do not count sips of alcohol taken during family or religious events.)"
2. "Smoke any marijuana or hashish?"
3. "Use anything else to get high? ('anything else' includes other illegal drugs, prescription or non-prescription medicines or things that people sniff or 'huff')"
The second section is "Part B- CRAFT Questions", with a blue instruction box: "For clinic use only: Did the patient answer 'yes' to any questions in Part A? If yes, ask all 6 CRAFT questions. If no, ask CAR question only, then stop." It contains six questions with radio button options for "No" and "Yes":
1. "Have you ever ridden in a CAR driven by someone (including yourself) who was 'high' or had been using alcohol or drugs?"
2. "Do you ever use alcohol or drugs to RELAX, feel better about yourself, or fit in?"
3. "Do you ever use alcohol or drugs while you are by yourself, or ALONE?"
4. "Do you ever FORGET things you did while using alcohol or drugs?"
5. "Do your FAMILY or FRIENDS ever tell you that you should cut down on your drinking or drug use?"
6. "Have you ever gotten into TROUBLE while you were using alcohol or drugs?"
Below these questions is a field for "CRAFT Score (ref)". At the bottom, a blue instruction box states: "Two or more YES answers on the CRAFT suggest a serious problem and need for further assessment." The footer contains copyright information: "© John R. Knight, MD, Boston Children's Hospital, 2015. All rights reserved. Reproduced with permission. For more information, contact [redacted]@childrens.harvard.edu."

NOTE: A positive result should be communicated to the provider so that additional discussion can take place with the patient.