Unique Plan Description: COPD Bronchitis
Plan Selection Display: COPD Bronchitis
PlanType: Medical
Version: 12
Begin Effective Date:
End Effective Date: Current
Available at: ***BHMH***
C A DEAN HOSPIT
EMMC
MERCY HOSPITAL
NL MAINE COAST HOSPITAL
SVH
TAMC - THE AROO
Plan Comment:

Legend		
Green Highlight	=	Addition
Red Highlight	=	Deletion

COPD Bronchitis

Patient Care

☑ Education
Tobacco Cessation Teaching, Offer smoking cessation information & counseling per nursing or Respiratory Therapy if patient has smoked within the past 12 months.

☑ Education
COPD Teaching, Start COPD education on day of admission with continuing education every day

Medications

☐ predniSONE
40 mg, Tab, PO, Daily, 5 Days
Use SOLU-Medrol if patient can't take PO(NOTE)*

☐ SOLU-Medrol
60 mg, Soln, IV Push, Daily, 5 Days

Preferred Antibiotics

☐ Zithromax
500 mg, Tab, PO, Daily, Indication: Other (specify in comments), COPD/Bronchitis Module, 3 Days
If patient is allergic or does not tolerate azithromycin (Zithromax)(NOTE)*

☐ Vibramycin
100 mg, Tab, PO, Twice Daily, Indication: Other (specify in comments), COPD/Bronchitis Module, 5 Days
If patient is allergic or does not tolerate azithromycin (Zithromax) or doxycycline (Vibramycin)(NOTE)*

☐ Ceftin
500 mg, Tab, PO, Twice Daily, Indication: Other (specify in comments), COPD/Bronchitis Module, 5 Days

Bronchodilators/Inhaled Corticosteroids

☐ Perforomist.
20 mcg, Soln, NEB, Every 12 Hours

☐ Pulmicort NEB
0.5 mg, Susp, NEB, Every 12 Hours

☐ Proventil NEB
2.5 mg, Soln, NEB, Every 4 Hours

☐ Proventil NEB
2.5 mg, Soln, NEB, Every 2 Hours, PRN, Dyspnea and/or Wheezing

☐ DuoNeb 0.5 mg-2.5 mg/3 mL inhalation solution
3 mL, Soln, NEB, Every 6 Hours (DEF)*
3 mL, Soln, NEB, Every 6 Hours, PRN, Dyspnea and/or Wheezing

Laboratory

☐ Blood Gas Arterial
BLOOD, Expedite, Start: T;N

☐ Blood Gases Arterial (ABG)
BLOOD, Expedite, Start: T;N

Tests/Procedures

☐ XR Chest 2 Views 71046

☐ XR Chest Portable

Consults

☑ Pulmonary Rehab Phase 2 Referral

Reason For Referral: COPD, Stable COPD/chronic bronchitis, outpatient pulmonary rehab

Respiratory

☐ Oxygen.

Via: Nasal Cannula, Maintain pulse oximetry GREATER THAN 90% Wean as tolerated.

☐ Oxygen

Via: Nasal Cannula, Maintain pulse oximetry GREATER THAN 90% Wean as tolerated.

☐ Respiratory Eval and Treat (RT)

ONCE, Bronchodilation for COPD maintenance/reactive airways

Non Categorized

Providers must exercise independent clinical judgment when using order sets.(NOTE)*

***Report Legend:**

DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note
Rx - This component is a prescription
SUB - This component is a subphase