Unique Plan Description: ED JPP Stroke Symptoms Acute
Plan Selection Display: ED JPP Stroke Symptoms Acute
PlanType: Medical
Version: 31
Begin Effective Date: 12/15/2025 12/15/2025 6:12
End Effective Date: Current
Available at: ***BHMH***
C A DEAN HOSPIT
EMMC
MERCY HOSPITAL
NL MAINE COAST HOSPITAL
SVH
TAMC - THE AROO

Legend		
Green Highlight	=	Addition
Red Highlight	=	Deletion

Plan Comment: PRJ0430176_Update Diet order sentences to default Start Meal to Next Scheduled Meal_RK&DV

ED JPP Stroke Symptoms Acute
Patient Care

- ☑ Print Supportive Documents for Network Downtime
  _SD NIH Stroke Scale
  NIH Stroke Scale(NOTE)*
- ☑ Provider Communication
  Complete National Institutes of Health Stroke Scale (NIHSS) as the initial assessment upon admission and discharge. for any patient presenting with acute stroke symptoms.
  Immediately notify ED Provider(NOTE)*
- ☑ Dysphagia Screen
  If patient passes the screen, then advance diet as tolerated to Cardiac Diet
  Comments: If patient fails the screen, do not repeat screening, patient to remain NPO.
- ☑ Diet
  NPO, Advance As Tolerated, Advance to: Cardiac Diet, No exceptions, NPO until Nursing completes the bedside Dysphagia Screen (includes oral meds)
- ☑ Vital Signs (Frequent)
  Every 15 Minutes
- ☑ Neuro Checks (Frequent)
  Every 15 minutes, Notify Provider immediately if neurological deterioration or seizure activity, headache, nausea/vomiting.
- ☑ Notify If
  Notify Provider if deterioration in ABCs, change in neurological status, SBP greater than 185 mmHg or DBP greater than 110 mmHg
- ☑ ED Telemetry Monitoring
  While in ED
- ☑ Bedside Glucose Monitoring
  Stat, Notify Provider of result
- ☑ IV Placement
  Right antecubital site preferred for imaging
- ☑ Activity
  Bedrest, Head of Bed Elevation Flat

Laboratory

- ☑ ISTAT LABEL
  BLOOD, Stat, ONCE, Glucose
- ☑ ISTAT LABEL
  BLOOD, Stat, ONCE, Crea
- ☑ Basic Metabolic Panel
  BLOOD, Stat, ED CODE STROKE
- ☑ CBC with Differential
  BLOOD, Stat, ED CODE STROKE
- ☑ Fibrinogen Level
  BLOOD, Stat, ED CODE STROKE
- ☑ PT (Protime) INR

BLOOD, Stat, ED CODE STROKE

☑ Hemoglobin A1c w/est Average Glucose
BLOOD, Stat, ED CODE STROKE

☐ C-Reactive Protein
BLOOD, Stat, ED CODE STROKE

☐ Sedimentation Rate (ESR)
BLOOD, Stat, ED CODE STROKE

☐ ☑ Lipid Profile with Reflex
BLOOD, Stat, ED CODE STROKE

Order Thrombin Time for patients on Pradaxa(NOTE)*

☐ Thrombin Time
BLOOD, Stat, ED CODE STROKE

☑ Troponin-I
BLOOD, Stat, ED CODE STROKE

☑ Troponin I Highly Sensitive Random
BLOOD, Stat, ED CODE STROKE

☑ Troponin T HS (Random)
BLOOD, Stat, ED CODE STROKE

Order a pregnancy test for female patients (not actively pregnant) 10 - 55 years of age and without surgical menopause or over 55 who have had their menses within the past 6 months.(NOTE)*

☐ Beta hCG Qualitative
BLOOD, Stat

Tests/Procedures

☑ CV ECG
Priority Stat, Reason Stroke-Acute, ED CODE STROKE. Pt in ED

☑ XR Chest Portable
Portable, Stat, ED CODE STROKE. Assess for mediastinal widening, possible thrombolytic.

Consult ED Provider prior to ordering CT. Must include symptoms and last known well time in order details:(NOTE)*

☑ CT Brain without Contrast 70450
Stat, ED CODE STROKE, Question Acute Stroke, possible thrombolytic

Respiratory

☑ Oxygen
Via: Nasal Cannula, Keep sats greater than 94%, wean as tolerated

☑ Oxygen.
Via: Nasal Cannula, Keep sats greater than 94%, wean as tolerated

☑ Continuous Pulse Oximetry.

☑ Continuous Pulse Oximetry

Non Categorized

Providers must exercise independent clinical judgment when using order sets.(NOTE)*

This order set was last reviewed February 2025(NOTE)*

☑ Stroke Care

***Report Legend:**
DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note
Rx - This component is a prescription
SUB - This component is a subphase